Brain Research, 632 (1993) 356–358
© 1993 Elsevier Science Publishers B.V. All rights reserved 0006-8993/93/$06.00

Author Index

Adachi, A., see Kobashi, M. (632) 174
Adler, A.J., see Dev, S. (632) 325
Aitken, P.G., see Czéh, G. (632) 195
Akaike, A., see Shimohama, S. (632) 296
Akiyama, H., Tooyama, I., Kawamata, T., Ikeda, K. and McGeer, P.L.
Morphological diversities of CD44 positive astrocytes in the cerebral cortex of normal subjects and patients with Alzheimer's disease (632) 249
Aldred, A., see Blay, P. (632) 114
Appenzeller, O., see Lincoln, J. (632) 48
Arai, R., Jacobowitz, D.M. and Deura, S.
Colocalization of calbindin-D28k with vasopressin in hypothalamic cells of the rat: a double-labeling immunofluorescence study (632) 342
Azzaroni, A. and Parmeggiani, P.L.
Mechanisms underlying hypothalamic temperature changes during sleep in mammals (632) 136

Barg, J., Belcheva, M., Rowinski, J., Ho, A., Burke, W.J., Chung, H.D., Schmidt, C.A. and Coscia, C.J.
Opioid receptor density changes in Alzheimer amygdala and putamen (632) 209
Beckers, H.J.M., see Klooster, J. (632) 260
Belcheva, M., see Barg, J. (632) 209
Bentivoglio, M., see Peng, Z.-C. (632) 57
Berger, T.W., see Bernath, S. (632) 232
Bernath, S., Zigmond, M.J., Nisenbaum, E.S., Vizi, E.S. and Berger, T.W.
Na^+ influx through Ca^{2+} channels can promote striatal GABA efflux in Ca^{2+}-deficient conditions in response to electrical field depolarization (632) 232
Birch, P.J., see Smith, G.D. (632) 16
Blay, P., Nilsson, C., Owman, C., Aldred, A. and Schreiber, G.
Transthyretin expression in the rat brain: effect of thyroid functional state and role in thyroxine transport (632) 114
Blight, A.R., Saito, K. and Heyes, M.P.
Increased levels of the excitotoxin quinolinic acid in spinal cord following contusion injury (632) 314
Bosco, A., Carri, N.G. and Linden, R.
Neuritogenesis of retinal ganglion cells is differentially promoted by target extract: retinal neuritogenesis (632) 303
Bowen, D.M., see Chessell, I.P. (632) 86
Burke, W.J., see Barg, J. (632) 209
Burnstock, G., see Lincoln, J. (632) 48
Büsselberg, D., see Pekel, M. (632) 121
Butler, A.J., Yue, G. and Darling, W.G.
Variations in soleus H-reflexes as a function of plantarflexion torque in man (632) 95

Calaresu, F.R., see McKitrick, D.J. (632) 127
Carri, N.G., see Bosco, A. (632) 303
Chen, S., see Peng, Z.-C. (632) 57
Chessell, I.P., Francis, P.T., Pangalos, M.N., Pearson, R.C.A. and Bowen, D.M.
Localisation of muscarinic (m_1) and other neurotransmitter receptors on corticofugal-projecting pyramidal neurones (632) 86
Chung, H.D., see Barg, J. (632) 209
Chung, J.M., see Chung, K. (632) 80
Chung, K., Park, M.J., Sheen, K. and Chung, J.M.
Neonatal sciatic nerve lesion triggers the sprouting of fibers in the contralateral ventral root of the rat (632) 80
Cintra, A., Molander, C. and Fuxe, K.
Colocalization of Fos- and glucocorticoid receptor-immunoreactivities is present only in a very restricted population of dorsal horn neurons of the rat spinal cord after nociceptive stimulation (632) 334
Cole, B.N., see Marshall, J.F. (632) 308
Corcoran, M.E., see Pelletier, M.R. (632) 29
Coscia, C.J., see Barg, J. (632) 209
Cynader, M., see Liu, Y. (632) 274
Czéh, G., Aitken, P.G. and Somjen, G.G.
Membrane currents in CA1 pyramidal cells during spreading depression (SD) and SD-like hypoxic depolarization (632) 195

Darling, W.G., see Butler, A.J. (632) 95
Deura, S., see Arai, R. (632) 342
Dev, S., Adler, A.J. and Edwards, R.B.
Adult rabbit brain synthesizes retinoic acid (632) 325
Du, Y.-J., see Lü, Y. (632) 351

Ebling, F.J.P., see Mikkelsen, J.D. (632) 329
Edwards, R.B., see Dev, S. (632) 325
Elliott, P.J., see Smith, G.D. (632) 16
Ezure, K., Oku, Y. and Tanaka, I.
Location and axonal projection of one type of swallowing interneurons in cat medulla (632) 216

Faas, G.C., see Somjen, G.G. (632) 180
Faden, A.I., see Graham, S.H. (632) 346
Fan, P. and Szerb, J.C.
Effects of ammonium ions on synaptic transmission and on responses to quisqualate and *N*-methyl-D-aspartate in hippocampal CA1 pyramidal neurons in vitro (632) 225
Fenton, L.H. and Robinson, M.B.
Repeated exposure to hyperbaric oxygen sensitizes rats to oxygen-induced seizures (632) 143
Francis, P.T., see Chessell, I.P. (632) 86
French, A.S., see Torkkeli, P.H. (632) 317
Frydryszak, H., see Stoessl, A.J. (632) 21
Fusco, M., see Peng, Z.-C. (632) 57
Fuxe, K., see Cintra, A. (632) 334

Gonatas, N.K., see Lucassen, P.J. (632) 105
Graham, S.H., Shimizu, H., Newman, A., Weinstein, P. and Faden, A.I.
Opioid receptor antagonist nalmefene stereospecifically inhibits glutamate release during global cerebral ischemia (632) 346
Grupp, L.A., see Lança, A.J. (632) 287

Halsell, C.B., Travers, J.B. and Travers, S.P.
Gustatory and tactile stimulation of the posterior tongue activate overlapping but distinctive regions within the nucleus of the solitary tract (632) 161
Harrison, S.M., see Smith, G.D. (632) 16
Hedberg, T.G., Simpson, G.V. and Stanton, P.K.
Microcircuitry of posterior cingulate cortex in vitro: electrophysiology and laminar analysis using the current source density method (632) 239
Heyes, M.P., see Blight, A.R. (632) 314
Ho, A., see Barg, J. (632) 209

Ikeda, K., see Akiyama, H. (632) 249
Israel, Y., see Lança, A.J. (632) 287
Itoi, K., see Lebrun, C.J. (632) 74
Iwata, H., see Shimohama, S. (632) 296

Jacobowitz, D.M., see Arai, R. (632) 342
Jia, W., see Liu, Y. (632) 274

Kawamata, T., see Akiyama, H. (632) 249
Kimura, J., see Shimohama, S. (632) 296
Klooster, J., Beckers, H.J.M., Vrensen, G.F.J.M. and Van der Want, J.J.L.
The peripheral and central projections of the Edinger-Westphal nucleus in the rat. A light and electron microscopic tracing study (632) 260
Kobashi, M. and Adachi, A.
Effect of portal infusion of hypertonic saline on neurons in the dorsal motor nucleus of the vagus in the rat (632) 174
Koda, H., see Kumazawa, T. (632) 321
Kumazawa, T., Mizumura, K. and Koda, H.
Involvement of EP_3 subtype of prostaglandin E receptors in PGE_2-induced enhancement of the bradykinin response of nociceptors (632) 321

LaHoste, G.J., see Marshall, J.F. (632) 308
Lança, A.J., Grupp, L.A. and Israel, Y.
Reduction of voluntary alcohol consumption in the rat by transplantation of hypothalamic grafts (632) 287
Larsen, P.J., see Mikkelsen, J.D. (632) 329
Lebrun, C.J., Wende, P., Steckelings, U., Itoi, K. and Unger, Th.
Effects of tachykinins on phosphoinositide metabolism in the hypothalamus: is the NK1 receptor involved? (632) 74

Brain Research, 632 (1993) 356–358
© 1993 Elsevier Science Publishers B.V. All rights reserved 0006-8993/93/$06.00

Author Index

Adachi, A., see Kobashi, M. (632) 174
Adler, A.J., see Dev, S. (632) 325
Aitken, P.G., see Czéh, G. (632) 195
Akaike, A., see Shimohama, S. (632) 296
Akiyama, H., Tooyama, I., Kawamata, T., Ikeda, K. and McGeer, P.L.
Morphological diversities of CD44 positive astrocytes in the cerebral cortex of normal subjects and patients with Alzheimer's disease (632) 249
Aldred, A., see Blay, P. (632) 114
Appenzeller, O., see Lincoln, J. (632) 48
Arai, R., Jacobowitz, D.M. and Deura, S.
Colocalization of calbindin-D28k with vasopressin in hypothalamic cells of the rat: a double-labeling immunofluorescence study (632) 342
Azzaroni, A. and Parmeggiani, P.L.
Mechanisms underlying hypothalamic temperature changes during sleep in mammals (632) 136

Barg, J., Belcheva, M., Rowinski, J., Ho, A., Burke, W.J., Chung, H.D., Schmidt, C.A. and Coscia, C.J.
Opioid receptor density changes in Alzheimer amygdala and putamen (632) 209
Beckers, H.J.M., see Klooster, J. (632) 260
Belcheva, M., see Barg, J. (632) 209
Bentivoglio, M., see Peng, Z.-C. (632) 57
Berger, T.W., see Bernath, S. (632) 232
Bernath, S., Zigmond, M.J., Nisenbaum, E.S., Vizi, E.S. and Berger, T.W.
Na^+ influx through Ca^{2+} channels can promote striatal GABA efflux in Ca^{2+}-deficient conditions in response to electrical field depolarization (632) 232
Birch, P.J., see Smith, G.D. (632) 16
Blay, P., Nilsson, C., Owman, C., Aldred, A. and Schreiber, G.
Transthyretin expression in the rat brain: effect of thyroid functional state and role in thyroxine transport (632) 114
Blight, A.R., Saito, K. and Heyes, M.P.
Increased levels of the excitotoxin quinolinic acid in spinal cord following contusion injury (632) 314
Bosco, A., Carri, N.G. and Linden, R.
Neuritogenesis of retinal ganglion cells is differentially promoted by target extract: retinal neuritogenesis (632) 303
Bowen, D.M., see Chessell, I.P. (632) 86
Burke, W.J., see Barg, J. (632) 209
Burnstock, G., see Lincoln, J. (632) 48
Büsselberg, D., see Pekel, M. (632) 121
Butler, A.J., Yue, G. and Darling, W.G.
Variations in soleus H-reflexes as a function of plantarflexion torque in man (632) 95

Calaresu, F.R., see McKitrick, D.J. (632) 127
Carri, N.G., see Bosco, A. (632) 303
Chen, S., see Peng, Z.-C. (632) 57
Chessell, I.P., Francis, P.T., Pangalos, M.N., Pearson, R.C.A. and Bowen, D.M.
Localisation of muscarinic (m_1) and other neurotransmitter receptors on corticofugal-projecting pyramidal neurones (632) 86
Chung, H.D., see Barg, J. (632) 209
Chung, J.M., see Chung, K. (632) 80
Chung, K., Park, M.J., Sheen, K. and Chung, J.M.
Neonatal sciatic nerve lesion triggers the sprouting of fibers in the contralateral ventral root of the rat (632) 80
Cintra, A., Molander, C. and Fuxe, K.
Colocalization of Fos- and glucocorticoid receptor-immunoreactivities is present only in a very restricted population of dorsal horn neurons of the rat spinal cord after nociceptive stimulation (632) 334
Cole, B.N., see Marshall, J.F. (632) 308
Corcoran, M.E., see Pelletier, M.R. (632) 29
Coscia, C.J., see Barg, J. (632) 209
Cynader, M., see Liu, Y. (632) 274
Czéh, G., Aitken, P.G. and Somjen, G.G.
Membrane currents in CA1 pyramidal cells during spreading depression (SD) and SD-like hypoxic depolarization (632) 195

Darling, W.G., see Butler, A.J. (632) 95
Deura, S., see Arai, R. (632) 342
Dev, S., Adler, A.J. and Edwards, R.B.
Adult rabbit brain synthesizes retinoic acid (632) 325
Du, Y.-J., see Lü, Y. (632) 351

Ebling, F.J.P., see Mikkelsen, J.D. (632) 329
Edwards, R.B., see Dev, S. (632) 325
Elliott, P.J., see Smith, G.D. (632) 16
Ezure, K., Oku, Y. and Tanaka, I.
Location and axonal projection of one type of swallowing interneurons in cat medulla (632) 216

Faas, G.C., see Somjen, G.G. (632) 180
Faden, A.I., see Graham, S.H. (632) 346
Fan, P. and Szerb, J.C.
Effects of ammonium ions on synaptic transmission and on responses to quisqualate and *N*-methyl-D-aspartate in hippocampal CA1 pyramidal neurons in vitro (632) 225
Fenton, L.H. and Robinson, M.B.
Repeated exposure to hyperbaric oxygen sensitizes rats to oxygen-induced seizures (632) 143
Francis, P.T., see Chessell, I.P. (632) 86
French, A.S., see Torkkeli, P.H. (632) 317
Frydryszak, H., see Stoessl, A.J. (632) 21
Fusco, M., see Peng, Z.-C. (632) 57
Fuxe, K., see Cintra, A. (632) 334

Gonatas, N.K., see Lucassen, P.J. (632) 105
Graham, S.H., Shimizu, H., Newman, A., Weinstein, P. and Faden, A.I.
Opioid receptor antagonist nalmefene stereospecifically inhibits glutamate release during global cerebral ischemia (632) 346
Grupp, L.A., see Lança, A.J. (632) 287

Halsell, C.B., Travers, J.B. and Travers, S.P.
Gustatory and tactile stimulation of the posterior tongue activate overlapping but distinctive regions within the nucleus of the solitary tract (632) 161
Harrison, S.M., see Smith, G.D. (632) 16
Hedberg, T.G., Simpson, G.V. and Stanton, P.K.
Microcircuitry of posterior cingulate cortex in vitro: electrophysiology and laminar analysis using the current source density method (632) 239
Heyes, M.P., see Blight, A.R. (632) 314
Ho, A., see Barg, J. (632) 209

Ikeda, K., see Akiyama, H. (632) 249
Israel, Y., see Lança, A.J. (632) 287
Itoi, K., see Lebrun, C.J. (632) 74
Iwata, H., see Shimohama, S. (632) 296

Jacobowitz, D.M., see Arai, R. (632) 342
Jia, W., see Liu, Y. (632) 274

Kawamata, T., see Akiyama, H. (632) 249
Kimura, J., see Shimohama, S. (632) 296
Klooster, J., Beckers, H.J.M., Vrensen, G.F.J.M. and Van der Want, J.J.L.
The peripheral and central projections of the Edinger-Westphal nucleus in the rat. A light and electron microscopic tracing study (632) 260
Kobashi, M. and Adachi, A.
Effect of portal infusion of hypertonic saline on neurons in the dorsal motor nucleus of the vagus in the rat (632) 174
Koda, H., see Kumazawa, T. (632) 321
Kumazawa, T., Mizumura, K. and Koda, H.
Involvement of EP_3 subtype of prostaglandin E receptors in PGE_2-induced enhancement of the bradykinin response of nociceptors (632) 321

LaHoste, G.J., see Marshall, J.F. (632) 308
Lança, A.J., Grupp, L.A. and Israel, Y.
Reduction of voluntary alcohol consumption in the rat by transplantation of hypothalamic grafts (632) 287
Larsen, P.J., see Mikkelsen, J.D. (632) 329
Lebrun, C.J., Wende, P., Steckelings, U., Itoi, K. and Unger, Th.
Effects of tachykinins on phosphoinositide metabolism in the hypothalamus: is the NK1 receptor involved? (632) 74

Li, J.-S., see Lü, Y. (632) 351
Lincoln, J., Milner, P., Appenzeller, O., Burnstock, G. and Qualls, C.
Innervation of normal human sural and optic nerves by noradrenaline- and peptide-containing nervi vasorum and nervorum: effect of diabetes and alcoholism (632) 48
Linden, R., see Bosco, A. (632) 303
Liu, Y., Jia, W., Strosberg, A.D. and Cynader, M.
Development and regulation of β adrenergic receptors in kitten visual cortex: an immunocytochemical and autoradiographic study (632) 274
Low, W.C., see Tarricone, B.J. (632) 41
Lü, Y., Du, Y.-J., Qin, B.-Z. and Li, J.-S.
The subdivisions of the intermediolateral nucleus in the sacral spinal cord of the cat (632) 351
Lucassen, P.J., Ravid, R., Gonatas, N.K. and Swaab, D.F.
Activation of the human supraoptic and paraventricular nucleus neurons with aging and in Alzheimer's disease as judged from increasing size of the Golgi apparatus (632) 105

Marshall, J.F., Cole, B.N. and LaHoste, G.J.
Dopamine D_2 receptor control of pallidal fos expression: comparisons between intact and 6-hydroxydopamine-treated hemispheres (632) 308
McGeer, P.L., see Akiyama, H. (632) 249
McKitrick, D.J. and Calaresu, F.R.
Expression of Fos in rat central nervous system elicited by afferent stimulation of the femoral nerve (632) 127
Mikkelsen, J.D., Larsen, P.J. and Ebling, F.J.P.
Distribution of *N*-methyl D-aspartate (NMDA) receptor mRNAs in the rat suprachiasmatic nucleus (632) 329
Milner, P., see Lincoln, J. (632) 48
Mizumura, K., see Kumazawa, T. (632) 321
Molander, C., see Cintra, A. (632) 334

Newman, A., see Graham, S.H. (632) 346
Nilsson, C., see Blay, P. (632) 114
Nisenbaum, E.S., see Bernath, S. (632) 232
Noel, M.B. and Wise, R.A.
Ventral tegmental injections of morphine but not U-50,488H enhance feeding in food-deprived rats (632) 68

Ogawa, N., see Shimohama, S. (632) 296
Ohno, M., Yamamoto, T. and Watanabe, S.
Deficits in working memory following inhibition of hippocampal nitric oxide synthesis in the rat (632) 36
Oku, Y., see Ezure, K. (632) 216
Olton, D.S., see Pang, K. (632) 150
Owman, C., see Blay, P. (632) 114

Pang, K., Williams, M.J. and Olton, D.S.
Activation of the medial septal area attenuates LTP of the lateral perforant path and enhances heterosynaptic LTD of the medial perforant path in aged rats (632) 150
Pangalos, M.N., see Chessell, I.P. (632) 86
Park, M.J., see Chung, K. (632) 80
Parmeggiani, P.L., see Azzaroni, A. (632) 136
Pearson, R.C.A., see Chessell, I.P. (632) 86
Pekel, M., Platt, B. and Büsselberg, D.
Mercury (Hg^{2+}) decreases voltage-gated calcium channel currents in rat DRG and *Aplysia* neurons (632) 121
Pelletier, M.R. and Corcoran, M.E.
Infusions of α-2 noradrenergic agonists and antagonists into the amygdala: effects on kindling (632) 29
Peng, Z.-C., Chen, S., Fusco, M., Vantini, G. and Bentivoglio, M.
Fos induction by nerve growth factor in the adult rat brain (632) 57
Platt, B., see Pekel, M. (632) 121
Polanski, E., see Stoessl, A.J. (632) 21

Qin, B.-Z., see Lü, Y. (632) 351
Qualls, C., see Lincoln, J. (632) 48

Ravid, R., see Lucassen, P.J. (632) 105
Robinson, M.B., see Fenton, L.H. (632) 143
Rossi-Durand, C.
Peripheral proprioceptive modulation in crayfish walking leg by serotonin (632) 1
Rowinski, J., see Barg, J. (632) 209

Saito, K., see Blight, A.R. (632) 314
Schmidt, C.A., see Barg, J. (632) 209
Schreiber, G., see Blay, P. (632) 114
Sheen, K., see Chung, K. (632) 80
Shimada, K., see Yamamura, C. (632) 339
Shimizu, H., see Graham, S.H. (632) 346
Shimohama, S., Ogawa, N., Tamura, Y., Akaike, A., Tsukahara, T., Iwata, H. and Kimura, J.
Protective effect of nerve growth factor against glutamate-induced neurotoxicity in cultured cortical neurons (632) 296
Simon, J.R., see Tarricone, B.J. (632) 41
Simpson, G.V., see Hedberg, T.G. (632) 239
Smith, G.D., Harrison, S.M., Wiseman, J., Elliott, P.J. and Birch, P.J.
Pre-emptive administration of clonidine prevents development of hyperalgesia to mechanical stimuli in a model of mononeuropathy in the rat (632) 16
Somjen, G.G., Faas, G.C., Vreugdenhil, M. and Wadman, W.J.
Channel shutdown: a response of hippocampal neurons to adverse environments (632) 180
Somjen, G.G., see Czéh, G. (632) 195
Stanton, P.K., see Hedberg, T.G. (632) 239
Steckelings, U., see Lebrun, C.J. (632) 74
Stoessl, A.J., Polanski, E. and Frydryszak, H.
Effects of ageing on tachykinin function in the basal ganglia (632) 21
Strosberg, A.D., see Liu, Y. (632) 274
Swaab, D.F., see Lucassen, P.J. (632) 105
Szerb, J.C., see Fan, P. (632) 225

Tamura, Y., see Shimohama, S. (632) 296
Tanaka, I., see Ezure, K. (632) 216
Tarricone, B.J., Simon, J.R. and Low, W.C.
Intrahippocampal transplants of septal cholinergic neurons: choline acetyltransferase activity, muscarinic receptor binding, and spatial memory function (632) 41
Tooyama, I., see Akiyama, H. (632) 249
Torkkeli, P.H. and French, A.S.
Mapping extracellular excitability in an insect mechanoreceptor neuron (632) 317
Travers, J.B., see Halsell, C.B. (632) 161
Travers, S.P., see Halsell, C.B. (632) 161
Tsukahara, T., see Shimohama, S. (632) 296

Unger, Th., see Lebrun, C.J. (632) 74

Van der Want, J.J.L., see Klooster, J. (632) 260
Vantini, G., see Peng, Z.-C. (632) 57
Vizi, E.S., see Bernath, S. (632) 232
Vrensen, G.F.J.M., see Klooster, J. (632) 260
Vreugdenhil, M., see Somjen, G.G. (632) 180

Wadman, W.J., see Somjen, G.G. (632) 180
Watanabe, S., see Ohno, M. (632) 36
Weinstein, P., see Graham, S.H. (632) 346
Wende, P., see Lebrun, C.J. (632) 74
Williams, M.J., see Pang, K. (632) 150
Wise, R.A., see Noel, M.B. (632) 68
Wiseman, J., see Smith, G.D. (632) 16

Yamamoto, T., see Ohno, M. (632) 36
Yamamura, C. and Shimada, K.
Differential controls of small and large motor unit activity in the masseter muscle with incisal stimulation in humans (632) 339
Yue, G., see Butler, A.J. (632) 95

Zigmond, M.J., see Bernath, S. (632) 232